Scientific Laboratory Supplies - Safety Data Sheet

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.0 Revision date: 16 April 2019
Date printed: 16 June 2020

CHE2036

Section 1. Identification

1.1 Product Identifier CHE2036

Product Name FORMALDEHYDE SOLUTION 40% w/v pure 2.5L.

CAS Number 50-00-0

REACH Registration No 01-2119488953-20-XXXX

Molecular Formula HCHO =30.03

1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier Scientific Laboratory Supplies



Wilford Industrial Estate

Ruddington Lane

Wilford

Nottingham NG11 7EP

UNITED KINGDOM

Phone 0115 9821111 Fax 0115 9825275

Email sales@scientific-labs.com

1.4 Emergency Telephone (08:00-17:00) 0115 9821111

(24hr) 112

(Have this document to hand)

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation 1272/2008/EC

Acute toxicity, category 3 (oral) (Acute Tox. 3 (O)). Acute toxicity, category 3 (dermal) (Acute Tox. 3 (D)). Skin corrosion/irritation, category 1B (Skin Corr. 1B). Acute toxicity, category 3 (inhalation) (Acute Tox. 3 (I)). Skin sensitization, category 1 (Skin Sens. 1). Germ cell mutagenicity, category 2 (Muta. 2). Carcinogenicity, category 1B (Carc. 1B).

2.2 Label elements

Labelling according to regulation 1272/2008/EC

Signal word Danger

Hazard Pictograms







Hazard Statements Toxic if inhaled. Toxic in contact with skin. Toxic if swallowed. Causes severe skin burns and eye damage. May

cause an allergic skin reaction. May cause cancer. Suspected of causing genetic defects.

Precautionary Statements

Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of soap and water. Avoid breathing dust / fume / gas / mist / vapours / spray.

Section 3. Composition

3.1 Substances

Component	CAS No.	EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Formaldehyde	50-00-0	200-001-8	01-2119488953-20-XXXX	36.6%	Acute Tox. 3 (O), Acute Tox. 3 (D), Skin Corr. 1B, Acute Tox. 3 (I), Skin Sens. 1, Muta. 2, Carc. 1B
Methanol	67-56-1	200-659-6	01-2119433307-44-XXXX	7.3%	Flam. Liq. 2,Acute Tox. 3 (O),Acute Tox. 3 (D),Acute Tox. 3 (I),STOT SE 1

Section 4. First Aid

4.1 Description of first aid measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL

ATTENTION.

Skin Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use. Unless

contact has been slight OBTAIN MEDICAL ATTENTION

Inhalation Remove from exposure. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If

breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery

position. OBTAIN MEDICAL ATTENTION URGENTLY.

Ingestion If conscious give plenty of water to drink. Do not induce vomiting. Convulsions may occur and cause

unconsciousness. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION

URGENTLY.

Personal protection for first Wear protective gloves / eye protection.

aiders

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

Extinguishing Media Water spray, dry powder or carbon dioxide. Use water spray to keep fire exposed containers cool.

Unsuitable Media Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards Vapour-air mixtures are explosive.

5.3 Advice for firefighters

Advice for firefighters Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear

protective clothing and breathing apparatus.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Ensure no sources of ignition. Avoid breathing vapour. Use approved personal protective equipment. Evacuate

area immediately. Do not allow general use of area until it is safe to do so.

6.2 Environmental precautions

Environmental Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local

Environmental Health Officer if major spillage occurs.

6.3 Methods and material for containment and cleaning up

Major Spillage Contain and absorb on inert material. Transfer absorbent to salvage container for removal. Wash area down with

copious amounts of water.

Minor Spillage Contain and absorb on inert material. Neutralise with a 5% ammonia solution. Transfer absorbent to container for

removal and disposal as solid chemical waste. Wash area down with copious amounts of water.

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

All transfer systems should be earthed to prevent accumulation of static electricity. Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains vapour concentrations below the recommended limits.

7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage. Protect from direct sun and store away from sources of ignition. Keep containers closed when not in use. Keep well separated from oxidising agents.

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

Component	CAS No	Concentration	Workplace Exposure Limits					
			Long Term (8hr TWA)		Short Term 15min period)			
Formaldehyde	50-00-0	36.6%	2.0 ppm	2.5 mg/m-3	2.0 ppm	2.5 mg/m-3		
Methanol	67-56-1	7.3%	200.0 ppm	266.0 mg/m-3	250.0 ppm	333.0 mg/m-3		

Exposure data source(s) IOELV: Indicative Occupational Exposure Limit Value.

8.2 Exposure controls

maintained chemical cartridge organic vapour respirator, or use self contained breathing apparatus.

Page 3 of 6

Hand Protection Use PVC gauntlets.

Eye Protection Use tightly fitting chemical splash proof glasses or goggles.

Skin Protection Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.

Special Hazards No special precautions required.

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance Clear colourless liquid.

Odour Pungent and intensely irritating.

pH 3 @ 20°C Boiling Point 96°C

Melting Point Not applicable
Flash Point 69°C (Closed cup)

Upper Flammable Limit 72% Lower Flammable Limit 7% Auto Ignition 300°C

Explosive Properties Moderate/severe in confined spaces.

Oxidising Properties No.

Vapour Pressure 1.3mmHg @ 20°C

Relative Density 1.0930

Water Solubility Completely soluble in water.

9.2 Other information

No data available.

Section 10. Stability & Reactivity

10.1 Reactivity No data available.

10.2 Chemical Stability Stable under normal conditions

10.3 Possibility of hazardous

reactions

No data available.

10.4 Conditions to Avoid Hot surfaces, naked flames or other sources of ignition.

10.5 Incompatable Materials Strong oxidising agents. Hydrochloric acid.

10.6 Hazardous Decomposition None unusual. Burning will produce smoke, carbon monoxide and/or carbon dioxide.

Products

Section 11. Toxicological Information

11.1 Information on toxicological effects

Eyes The liquid will be extremely irritating to eyes and can cause chemical eye burns. At 4ppm there may be

lacrimation; at 10-20 ppm there is burning of the eyes and intense lacrimation; at 50-100ppm eye burns can be

produced.

Skin Toxic in contact with skin. Causes severe burns. Repeated exposure may cause dermatitis. Skin penetration is

possible. May cause skin sensitisation.

LD50 Skin 270mg/kg Rabbit

Ingestion Causes immediate irritation of the mouth, throat and gastro-intestinal tract. Ingestion may prove fatal.

LD50 Oral 800mg/kg Rat

Inhalation Toxic if inhaled. Exposure to vapour concentrations above the occupational exposure limits will produce severe

irritation of the eyes, nose, throat and respiratory tract. High concentrations of vapour will severe difficulty in

breathing, burning of the nose and intense cough.

LD50 Inhalation Not available
TCLo Not available

Carcinogenicity, category 1B. Epidemiological studies of workers exposed to formaldehyde is inconclusive

however cancers and tumours in rats and mice meet with the criteria for a potential human carcinogen.

Mutagenicity Suspected of causing genetic defects.

Reproductive Effects Some evidence for foetoxicity and tetragenecity has been observed in experimental animals

Other Information The irritant effect provides warning and toxic dosages are unlikely to be absorbed. The odour threshold (ca

0.5ppm) is below the MEL (2ppm).

Section 12. Ecological

12.1 Toxicity Low levels are readily bio-degraded in the environment. Higher levels are toxic to marine and plant life.

LC50 Algal Not available
LC50 Crustacea Not available
LC50 Fish Not available

12.2 Persistence and No data available.

12.3 Bioaccumulative potential No data available.

12.4 Mobility in soil No data available.

12.5 Results of PBT & vPvB

assessment

degradability

Assessment not required.

12.6 Other adverse effects None known at present.

Section 13. Disposal Considerations

13.1 Waste treatment methods

Dispose of in a licensed incinerator for organic solvents. Do not dispose of as domestic waste. Never dispose of

into water courses or sewerage systems.

a weak ammonia solution then wash out thoroughly with water.

Section 14. Transport Information

14.1 UN Number 2209

14.2 Proper Shipping Name Formaldehyde solution

14.3 Transport classes

UN classification 8
Subsidiary hazard(s) None
Transport category 3
ADR Hazard ID 80
Tunnel Restriction Code E

14.4 Packing Group III

14.5 Environment hazards See section 12.

14.6 Special precautions for No special precautions required.

user

14.7 Transport in bulk Not transported in bulk.

Section 15. Regulatory Information

$15.1\ Safety, health\ and\ environment\ regulations\ specific\ for\ subtance/mixture.$

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification Acute toxicity, category 3 (oral); Acute toxicity, category 3 (dermal); Skin corrosion/irritation, category 1B; Acute

toxicity, category 3 (inhalation); Skin sensitization, category 1; Germ cell mutagenicity, category 2; Carcinogenicity,

CORROSIVE

category 1B

Signal word Danger

Hazard Pictograms







Hazard Statements H331, H311, H301, H314, H317, H350, H341

Toxic if inhaled. Toxic in contact with skin. Toxic if swallowed. Causes severe skin burns and eye damage. May

cause an allergic skin reaction. May cause cancer. Suspected of causing genetic defects.

Precautionary Statements P202, P281, P361, P363, P302+P352, P261

Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of soap and water. Avoid breathing dust / fume / gas / mist / vapours / spray.

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.0

Revision date: 16 April 2019

Reviewed by chemist: 16 April 2019

Printed date: 16 June 2020

Copyright: 2020 Scientific Laboratory Supplies