## **△LPHA 9000 SERIES - 9020**

## **P2 DISPOSABLE RESPIRATOR**



A traditional range of lightweight cup shape respirators offering excellent value.

#### **KEY FEATURES**

- Range tested to 'Dolomite Clogging Test (D)'
- Soft inner nose seal
- Traditional metal nose clip adjustment
- Soft, lightweight fabrics
- Conforms to EN149: 2001 + A1: 2009



#### **ORDERING INFORMATION**

Part Number: 9020

**Packaging:** 20 singles per box

12 boxes per case

Certification: EN149: 2001 + A1: 2009

FFP1 NR D

## **SUITABLE APPLICATIONS**

Protects from non-toxic dust and oil/water based particulates. Some suitable applications include:

- Craft Work
- Cutting & Casting of Metals
- Hospital
- Iron & Steel Industry
- Laboratory & Disease Control
- Mining
- Textile Industry
- Underground Civil Engineering
- Welding work
- Woodworking



# **△LPHA 9000 SERIES - 9020**



## **P2 DISPOSABLE RESPIRATOR**

## **TECHNICAL SPECIFICATIONS**

#### **MATERIALS**

| COMPONENT     | MATERIAL  |  |  |  |
|---------------|---|--|--|--|
| Outer Cover:  | Polypropylene Fabric                                  |  |  |  |
| Filter Media: | High Filtration Efficiency Melt-Blown (Polypropylene) |  |  |  |
| Inner Cover:  | Polyester Fabric                                      |  |  |  |
| Nosebridge:   | Aluminium   |  |  |  |
| Nosefoam:     | Polyethylene [PE] Foam                                |  |  |  |
| Headstrap:    | Latex-Free Synthetic Rubber                           |  |  |  |

#### **DIMENSIONS**

| ITEM             | LENGTH (mm) | WIDTH<br>(mm) | HEIGHT<br>(mm) |  |
|------------------|-------------|---------------|----------------|--|
| Respirator:      | 139         | 127           | 54             |  |
| Nosebridge:      | 90          | 5             | 0.5            |  |
| Nosefoam:        | 100         | 27            | 1.5            |  |
| Headstrap Upper: | 300         | 5             | 0.55           |  |
| Headstrap Lower: | 265         | 5             | 0.55           |  |

#### **CERTIFICATION**

Tested in accordance to EN149: 2001 + A1 : 2009 FFP1 NR D Notified Body: BSI Group 0086

## **RECOMMENDATIONS FOR USE**

This respirator is disposable and recommended for single shift use only.

Do not attempt to clean or re-use.

## PRODUCT SELECTOR GUIDANCE CHART

| Approval<br>EN 149:2001<br>+ A1:2009 | Product<br>Codes | APF<br>(Assigned<br>Protection<br>Factor) (x<br>WEL) | Non-Toxic<br>Dusts | Fine / Toxic<br>Dusts<br>/ Mists /<br>Fumes | Odours /<br>Org. Vapours<br>(Below WEL) | VeryFine /<br>Toxic Dusts<br>/ Mists /<br>Fumes | Metal<br>Fumes | Oil/Water<br>Based<br>Particulates |
|--------------------------------------|------------------|--|--------------------|---|---|---|----------------|------------------------------------|
| FFP1 NR D                            | 9010             | 4  |                    |   |   |   |                |                                    |
| FFP1 NR D                            | 9010V            | 4  |                    |   |   |   |                |                                    |
| FFP2 NR D                            | 9020             | 10   | 0                  |   |   |   | 0              |                                    |
| FFP2 NR D                            | 9020V            | 10   | 0                  |   |   |   | 0              |                                    |
| FFP2 NR D                            | 9020W            | 10   | 0                  |   |   |   |                |                                    |
| FFP3 NR                              | 9030V            | 20   | 0                  |   |   |   |                |                                    |

= Recommended O = Alternative

